

HIV/AIDS Surveillance Summary, Vol. 17, No. 2

HIV Surveillance Program

Preventive Health and Safety Division – Communicable Disease Section 6101 Yellowstone Rd., #510 Cheyenne, WY 82002

> Tracy Murphy, M.D., State Epidemiologist Cheryl Corbin, HIV Surveillance Coordinator December 2008

This report is compiled every six months during the calendar year and is made possible by a cooperative agreement (#1u62ps0011025) between the Wyoming Department of Health and the Centers for Disease Control and Prevention. The next surveillance report will be available after June 30, 2009. Please visit our web site at:

<u>http://wdh.state.wv.us/phsd/hivsurveillance</u> or contact Cheryl Corbin, HIV Surveillance Coordinator at 307-777-7719, email: cheryl.corbin@health.wyo.gov

Wyoming HIV/AIDS Surveillance Summary Cumulative, 1984 through December 31, 2008

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adu	Adults or adolescents				Children (<13 yrs)				Total			
Diagnostic status	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%	
HIV Infection (not AIDS)	98	29	8	5	3	60	0	0	101	29	8	5	
AIDS - Immunologic	129	38	47	32	0	0	0	0	129	37	47	32	
AIDS - All others	114	33	92	63	2	40	1	100	116	34	93	63	
Total	341	100	147	100	5	100	1	100	346	100	148	100	

Individuals are classified as HIV infection or AIDS and are not counted twice.

Table 2. Number of cases by age at diagnosis and sex^b

Age at diagnosis (yrs)	Ма	les	Fem	ales	Total		
	No.	%	No.	%	No.	%	
<13	3	1	2	3	5	1	
13-24	23	8	8	12	31	9	
25-44	186	67	41	61	227	66	
45-64	63	23	14	21	77	22	
>=65	4	1	2	3	6	2	
Total	279	100	67	100	346	100	

Table 3. Number of cases by race/ethnicity^c

Race/Ethnicity		tal	
		%	
Hispanic, All races	29	8	
Not Hispanic, American Indian/Alaska Native	13	4	
Not Hispanic, Black or African American	25	7	
Not Hispanic, White	273	79	
Other/Unknown	6	2	
Total	346	100	

Table 4. Number of cases among adults or adolescents by transmission category and sex^d

Transmission category	Ма	les	Females		Total	
Transmission Category		%	No.	%	No.	%
Male-to-male sexual contact	168	61	0	0	168	49
Injection drug use	36	13	20	31	56	16
Male-to-male sexual contact and injection drug use	36	13	0	0	36	11
Hemophilia/coagulation disorder	3	1	1	2	4	1
Heterosexual contact	5	2	33	51	38	11
Receipt of blood, components, or tissue	4	1	3	5	7	2
Perinatal exposure, HIV diagnosed >= 13 years old	0	0	0	0	0	0
Other risk factor reported	0	0	0	0	0	0
No identified risk factor (NIR) ^e	0	0	0	0	0	0
No risk factor reported (NRR) ¹	24	9	8	12	32	9
Total	276	100	65	100	341	100

^aDeaths among persons reported in the selected time period.

^bData exclude (0) persons with missing or unknown sex.

^cData exclude (0) adults or adolescents and (0) children <13 years missing race/ethnicity.

^dData exclude (0) adults or adolescents with unknown or missing sex.

^eNIR: After one year, or after investigation, no risk factor identified.

[†]NRR: No risk factor reported at the time of initial report.

Table 5. Number of cases, deaths⁹, and case fatality rates by time of diagnosis

r of cases, deaths',	anu	Case Iai	
Time of diagnosis	No.	Deaths	Case fatality rate %
Before 1985	2	2	100
1985	2	2	100
1986	5	5	100
1987	4	3	75
1988	11	9	82
1989	10	10	100
1990	16	9	56
1991	21	16	76
1992	15	13	87
1993	22	19	86
1994	17	11	65
1995	22	10	45
1996	13	6	46
1997	14	6	43
1998	10	7	70
1999	15	3	20
2000	9	4	44
2001	10	0	0
2002	20	3	15
2003	16	1	6
2004	19	4	21
2005	11	1	9
2006	13	1	8
2007	19	2	11
2008	30	1	3
Total	346	148	43

Table 6. Number of cases by county of residence at diagnosis

County of residence at diagnosis						
County	Frequency	Percent				
ALBANY CO.	33	9.5				
BIG HORN CO.	1	0.3				
CAMPBELL CO.	15	4.3				
CARBON CO.	17	4.9				
CONVERSE CO.	5	1.4				
CROOK CO.	4	1.2				
FREMONT CO.	26	7.5				
GOSHEN CO.	13	3.8				
HOT SPRINGS CO.	3	0.9				
JOHNSON CO.	1	0.3				
LARAMIE CO.	95	27.5				
LINCOLN CO.	8	2.3				
NATRONA CO.	43	12.4				
NIOBRARA CO.	2	0.6				
PARK CO.	5	1.4				
PLATTE CO.	5	1.4				
SHERIDAN CO.	11	3.2				
SUBLETTE CO.	2	0.6				
SWEETWATER CO.	23	6.6				
TETON CO.	21	6.1				
UINTA CO.	10	2.9				
WESTON CO.	3	0.9				
TOTAL	346	100.0				

 $[\]ensuremath{^{g}}\xspace Deaths among persons reported in the selected time period.$

Wyoming HIV/AIDS Surveillance Summary January 1 through December 31, 2008

Table 1. Number of cases and deaths by diagnostic status and age category

Diagnostic status	Adults or adolescents			Children (<13 yrs)				Total				
Diagnostic status	No.	%	Deaths	%	No.	%	Deaths	%	No.	%	Deaths	%
HIV Infection (not AIDS)	15	50	0	0	1	100	0	0	16	52	0	0
AIDS - Immunologic	15	50	1	100	0	0	0	0	15	48	1	100
Total	30	100	1	100	1	100	0	0	31	100	1	100

Individuals are classified as HIV infection or AIDS and are not counted twice.

Of the AIDS cases reported this period, 8 are considered new cases meaning not counted previously as HIV infection.

Table 2. Number of cases by age at diagnosis and sex^b

Age at diagnosis (yrs)	Mal	_	Fema		Total		
Age at alagnosis (yrs)	No.	%	No.	%	No.	%	
<13	<5	-	<5	-	<5	-	
13-24	<5	-	<5	-	<5	-	
25-44	14	58	<5	-	17	55	
45-64	7	29	<5	-	11	35	
>=65	<5	-	<5	-	<5	-	
Total	24	-	7	1	31	1	

Table 3. Number of cases by race/ethnicity^c and age category

Description to the	Total			
Race/ethnicity	No.	%		
Not Hispanic, Black or African American	6	19		
Not Hispanic, White	21	68		
Other/Unknown	4	13		
Total	31	100		

Table 4. Number of cases among adults or adolescents by transmission category and sex^d

Transmission actoriory	Ma	les	Fem	ales	То	tal
Transmission category		%	No.	%	No.	%
Male-to-male sexual contact	12	52	0	0	12	40
Injection drug use	2	9	0	0	2	7
Male-to-male sexual contact and injection drug use	3	13	0	0	3	10
Hemophilia/coagulation disorder	0	0	0	0	0	0
Heterosexual contact	1	4	3	43	4	13
Receipt of blood, components, or tissue	0	0	0	0	0	0
Perinatal exposure, HIV diagnosed >= 13 years old	0	0	0	0	0	0
Other risk factor reported	0	0	0	0	0	0
No identified risk factor (NIR) ^e	0	0	0	0	0	0
No risk factor reported (NRR) ^f	5	22	4	57	9	30
Total	23	100	7	100	30	100

^aDeaths among persons reported in the selected time period.

^bData exclude (0) persons with missing or unknown sex.

^cData exclude (0) adults or adolescents and (0) children <13 years missing race/ethnicity.

^dData exclude (0) adults or adolescents with unknown or missing sex.

^eNIR: After one year, or after investigation, no risk factor identified.

[†]NRR: No risk factor reported at the time of initial report.

Table 5. Number of cases, deaths⁹, and case fatality rates by time of diagnosis

Time of diagnosis	No.	Deaths	Case fatality rate %
2007	1	0	0
2008	30	1	3
Total	31	1	3

Table 6. Number of cases by county of residence at diagnosis

County of residence at diagnosis							
County	Frequency	Percent					
ALBANY CO.	4	13					
CARBON CO.	3	10					
FREMONT CO.	3	10					
LARAMIE CO.	14	45					
LINCOLN CO.	1	3					
PARK CO.	1	3					
SWEETWATER CO.	5	16					
TOTAL	31	100					

⁹Deaths among persons reported in the selected time period.

Wyoming HIV/AIDS Surveillance Summary HIV/AIDS Prevalence* as of 12/31/08

Table 1. Number of cases by diagnostic status and age category

Diagnostic status	Adults or adolescents		Children	Total		
	No.	%	No.	%	No.	%
HIV infection (not AIDS)	78	45	3	100	81	46
AIDS – Immunologic	71	41	0	0	71	40
AIDS - All others	24	14	0	0	24	14
Total	173	100	3	100	176	100

Individuals are classified as HIV infection or AIDS and are not counted twice.

Table 2. Number of cases by age at diagnosis

Ago at diagnosis (vrs)	Total		
Age at diagnosis (yrs)	No.	%	
<13	3	2	
13-24	23	13	
25-44	119	68	
45-64	30	17	
>=65	1	1	
Total	176	100	

Table 3. Number of cases by race/ethnicity

Race/ethnicity		tal
		%
Hispanic, All races		12
Not Hispanic, American Indian/Alaska Native		4
Not Hispanic, Black or African American		8
Not Hispanic, White		72
Not Hispanic, Multi-race		3
Other/Unknown	2	1
Total		100

Table 4. Number of cases among adults or adolescents by transmission category

Transmission category		Males		Females		Total	
		%	No.	%	No.	%	
Male-to-male sexual contact	80	61	0	0	80	46	
Injection drug use	17	13	8	20	25	14	
Male-to-male sexual contact and injection drug use	18	14	0	0	18	10	
Hemophilia/coagulation disorder	0	0	1	2	1	1	
Heterosexual contact	6	5	21	51	27	16	
Receipt of blood, components, or tissue	1	1	0	0	1	1	
Perinatal exposure, HIV diagnosed >= 13 years old	0	0	0	0	0	0	
Other risk factor reported	0	0	0	0	0	0	
No identified risk factor (NIR) ^t	0	0	0	0	0	0	
No risk factor reported (NRR) ⁹	10	8	11	27	21	12	
Total	132	100	41	100	173	100	

^{*}Individuals living with HIV/AIDS in Wyoming. Includes Wyoming and non-Wyoming cases.